## First contact screening of a BCI Pilot


M.K. Höller<sup>1\*</sup>, A. Schwarz<sup>1</sup>, D. Steyrl<sup>1</sup>, K. Statthaler<sup>1</sup>, G.R. Müller-Putz<sup>1</sup>

<sup>1</sup> Institute of Neural Engineering, BCI-Lab, Graz University of Technology E-mail: gernot.mueller@tugraz.at.

## **Abstract**

Mental tasks, like motor imagery induce changes in the electroencephalogram (EEG) which can be detected and translated into commands for several applications by a brain-computer interface (BCI). However, BCI use is challenging and BCIs do not work satisfactory for everybody. To find the pilot of the GRAZ-BCI Racing Team MIRAGE91, we checked the BCI aptitude of a candidate. We share our experience and present the first contact screening results of our candidate. The Pilot is a 31 year old man, suffering from severe motor impairment due to a brainstem stroke in 2014. For EEG recording we used 16 active Ag/AgCI electrodes which were positioned in an equidistant manner over sensorimotor areas around C3, Cz and C4 electrode positions. Using the paradigm described in [1], we recorded 50 trials per class of motor imagery (MI) of left hand, right hand and feet. In addition we performed a second session where we recorded MI of right hand, feet and a rest-condition. For analysis, data was filtered between 6 Hz and 35 Hz and artefact-contaminated trials were excluded. In a cross validation loop (10 times 5 fold), common spatial patterns (CSP) filters were trained in a one versus one class method. We calculated 12 logarithmic bandpower features (first and last two projections of each CSP model) and trained a shrinkage regularized linear discriminant analysis with features located 2.5 seconds after the cue.

We successfully performed BCI screening in two sessions. The results in Figure 1 show higher accuracies in session 2 (70% vs 45%). In conclusion, a second screening session can be beneficial and a prospective pilot should not be disregarded after one session. We credit the differences to agitation and the novelty of BCI technology to the user in the first session.



## References

[1] G. Pfurtscheller and C. Neuper, "Motor imagery and direct braincomputer communication," Proceedings of the IEEE, vol. 89, pp. 1123–1134, 2001.

## **Short Biography**

Maria K. Höller is studying Biomedical Engineering at Graz University of Technology. This abstract shows a brief insight on her bachelor thesis, which is done within the GRAZ-BCI racing team. For her masters, she plans to extend her experiences towards Brain-Computer interfaces and to focus on Neural Engineering.